

On the Lifecycle of a Lightning Network Payment Channel

Florian Grötschla*, Lioba Heimbach, Severin Richner and Roger Wattenhofer
{fgroetschla, hlioba, richners, wattenhofer}@ethz.ch

ETH Zurich

Abstract. The *Bitcoin Lightning Network*, launched in 2018, serves as a *layer 2* scaling solution for Bitcoin. The Lightning Network allows users to establish channels between each other and subsequently exchange off-chain payments. Together, these channels form a network that facilitates payments between parties even if they do not have a channel in common. The Lightning Network has gained popularity over the past five years as it offers an attractive alternative to on-chain transactions by substantially reducing transaction costs and processing times. Nevertheless, due to the privacy-centric design of the Lightning Network, little is understood about its inner workings. In this work, we conduct a measurement study of the Lightning Network to shed light on the lifecycle of channels. By combining Lightning gossip messages with on-chain Bitcoin data, we investigate the lifecycle of a channel from its opening through its lifetime to its closing. In particular, our analysis offers unique insights into the utilization patterns of the Lightning Network. Even more so, through decoding the channel closing transactions, we obtain the first dataset of Lightning Network payments, observe the imbalance of channels during the closing, and investigate whether both parties are involved in the closing, or one closes the channel unilaterally. For instance, we find nearly 60% of cooperatively closed channels are resurrected, i.e., their outputs were used to fund another channel.

Keywords: Bitcoin · layer 2 · Lightning Network.

1 Introduction

The inception of Bitcoin in 2008 marked the creation of the first decentralized cryptocurrency. While the introduction of Bitcoin permanently impacted the way society regards money and finance, cryptocurrencies such as Bitcoin are also known for their extremely small throughput. To tackle this issue, *payment channels* were introduced [27,19,23,10,12,18]. The idea is that instead of settling every transaction on the Bitcoin blockchain directly, Alice and Bob create a payment channel between each other on the blockchain and lock an amount of BTC in the channel, namely, the *channel capacity*. With the payment channel, Alice and Bob can exchange payments directly. Even more, multiple payment

* The authors of this work are listed alphabetically.

channels together form a *payment channel network* that allows users to route their payments across various channels. Thus, users are not required to set up a channel with every individual they wish to exchange payments with but can take advantage of the existing network of channels. To compensate the owners of channels involved in facilitating a transaction, transactions pay a small fee. The *Lightning Network* is a payment network implementation on top of Bitcoin. Nodes in the Lightning Network *gossip* with each other to exchange information about the nodes and channels in the network. For example, when Alice and Bob create a payment channel between themselves, they might choose to announce the channel in the network such that other nodes in the network know about this channel and can potentially use it to route their transaction. Thanks to these messages, the size and structure of the *public* network, that is, nodes and channels that announce themselves, is generally well understood. There are currently more than 13,000 nodes with 50,000 payment channels that hold over 70M USD [3].

Privacy for payments is a key component of the Lightning Network. When Alice sends a payment to Charlie, the Lightning Network is designed so that no other node should be able to know the source and the target of the payment, even if they were involved in routing the transaction. Thus, little is understood of the network’s activity and usage as most transactions are not broadcast on the Bitcoin blockchain but rather kept between the two endpoints of a channel [28,15,13]. We show that despite these mechanisms, we can extract information on the usage of Lightning channels by analyzing the traces left in gossip messages from the Lightning network and Bitcoin transactions that manage these channels on the blockchain. We do so by matching transaction outputs with the possible transaction blueprints provided by Lightning and identifying the code paths used to claim funds from these outputs. This can tell us, among other things, whether a channel was closed cooperatively, if one party tried to steal funds by broadcasting an old state to the blockchain, or if the output of a closed channel was used to open a new one.

Contribution. We present an empirical study of the lifecycle and usage of Lightning Network payment channels. Through an analysis of off-chain Lightning gossip messages and on-chain Bitcoin data, we provide the following insights:

- Our longitudinal study of *channel openings* over time quantifies the number of channels opened, the size of channels, and the proportion of publicly announced channels.
- Through an analysis of gossip messages, we reason about the *usage of channels during their lifetime* and find indicators to predict the direction of the net flow of routed payments in a channel.
- The traces of a channel’s closing transaction further allow us to quantify the sizes of any unsettled Lightning Network payments at the time of the closing. We obtained, to the best of our knowledge, the *first dataset of Lightning payment sizes* comprising 21,168 payments.
- Our in-depth study of *channel closings* reveals the channel imbalances at the closing time and the closing type, e.g., whether the channel was closed unilaterally or cooperatively.

2 Lightning Network

The Lightning Network is a layer 2 protocol designed to scale Bitcoin: a network of bidirectional payment channels enables off-chain transfer of Bitcoin. Each payment channel established by two nodes in the network represents an edge in the network and allows them to exchange payments by agreeing on updated channel states. In practical terms, each channel has a fixed amount of Bitcoin known as its capacity, which remains constant throughout its operation. However, the ownership distribution of Bitcoin within the channel can change with each transaction. For example, if node A sends node B an amount x of Bitcoin, the balance on A 's side of the channel decreases by x , while the balance on B 's side increases by the same amount.

The underlying mechanism that enables this balance updating process without requiring on-chain transactions is the creation of off-chain commitments. These commitments are essentially signed transactions that reflect the updated balances of the channel but are not broadcast to the Bitcoin blockchain unless the channel is closed. This off-chain nature significantly reduces the load on the Bitcoin blockchain, enabling faster and cheaper transactions. When a payment is made over the Lightning Network, it can be routed through multiple channels to reach its final destination. This is possible due to the interconnected nature of the network, where multiple channels between various nodes form a complex web. Payments can thus be routed across the network, from the sender to the receiver, through intermediary nodes that facilitate the transaction. Each intermediary node deducts a small fee for forwarding the payment, providing an economic incentive to participate in the network.

Importantly, the Lightning Network enables instant and low-cost transactions. The network is further designed to protect the privacy of transactions. Since transactions occur off-chain, they are not recorded on the Bitcoin blockchain, enhancing user privacy. In addition, the origin and destination of transactions routed through the network are difficult to trace for an observer, adding an extra layer of privacy.

2.1 Channel Lifecycle

A payment channel in the Lightning Network is created through a *funding transaction*, maintained/updated by *commitment transactions*, and closed by a *closing transaction*. Generally, only the funding and closing transactions are validated on-chain. Commitment transactions, on the other hand, are held by the nodes involved in the channel and only posted on-chain when a channel is unilaterally closed by one party. The unilateral closing of a channel leads to a timelocked output for that party's funds.

Funding Transaction. A funding transaction is a Pay-to-Witness-Script-Hash (P2WSH) transaction using a specified script for the output, which represents the channel [23]. Thus, on the Bitcoin blockchain, a Lightning Network channel is represented by a single P2WSH output containing the hash of a 2-of-2 multi-signature scheme as the locking script. We also refer to this as the multisig




Fig. 1: Two exemplary funding transactions. Cooperative closings spend the 2-of-2-multisig output from the funding transaction and do not have a locktime, while commitments use the locktime field to encode the commitment number. By analyzing the outputs from the commitment, we can classify them into multiple types; some of them are used to send funds to the owner of the commitment (after some timeout), while others represent HTLCs or enable fee bumping. Following the local output for the commitment owner to the spending transaction lets us identify whether the commitment has been revoked. We further analyze whether outputs were used to directly fund other channels. Here, the funding transaction in Example 1 has a change output that funds another channel (i.e., Example 2).

or channel address. The transaction can generally have multiple outputs, with some of them taking the role of “change”. The script for the funding transaction is defined as follows:

```

Script Funding
1: 2 <pubkey1> <pubkey2> 2 OP_CHECKMULTISIG

```

The two public keys correspond to the private keys held by the two channel endpoints, and the output can only be spent when both agree. Importantly, transactions of this kind are not unique to Lightning channel openings [15] but heuristics to identify private channels have been developed (cf. Section 3).

Closing Transaction. A channel is can either be closed *cooperatively* or *non-cooperatively*. If the channel is closed cooperatively, both parties agree on channel balances and jointly decide to close the channel. Both nodes sign a closing transaction that spends the channel funds to their respective wallets. As soon as the transaction is confirmed on the blockchain parties can spend their funds. Otherwise, if the channel is closed non-cooperatively, the party wishing to close the channel submits a commitment transaction to the blockchain. The other node is then given a time window to revoke that transaction (in case an old commitment transaction was submitted that does not reflect the latest status of the channel balances, referred to as *prior state cheating*). If the commitment

transaction becomes revoked, all channel funds are awarded to the revoking node as a punishment for not following the protocol. If, however, the time window expires without a revocation, the node can spend the channel funds according to the balances from the submitted commitment transaction.

Commitment Transaction. Commitment transactions update the channel balances, and the most recent commitment transaction always represents the current balances between the channel’s nodes. These commitment transactions are usually not published on-chain and, thus, allow for fast and inexpensive Bitcoin transfers inside the channel without needing to pay fees on the Bitcoin blockchain. Further, the channel participants sign each commitment transaction. Thereby, invalidating the previous commitment transaction which is essential as it allows for any old commitment transaction to be revoked. A commitment might be broadcast for various reasons. For example, when one channel party is unresponsive and the other wants to recover its funds. In this case, the broadcaster has to wait for a timeout to pass before they can access their funds, giving the other party time to invalidate an outdated and replaced commitment. This is referred to as *prior state cheating* and results in all funds being given to the party that invalidated the outdated commitment. If no such invalidation takes place, the funds can be accessed by the broadcaster after the timeout.

3 Data Collection and Classification

We collect data from the Lightning Network gossip data as well as the Bitcoin blockchain data. Our data ranges from 1 January 2019 to 23 September 2023, but utilize shortened data ranges for parts of the analysis.

Bitcoin Blockchain Transactions. To gather Bitcoin transactions related to channel openings and closings, we utilize the Blockstream Esplora API [2]. In particular, we start with public channels that are announced through gossip messages and retrieve their funding transactions. These are used as a starting point for the private channel discovery and to scan their transaction outputs for usage in later transactions. As most outputs are of type P2WSH as specified in the protocol, the locking scripts are concealed until their usage as a transaction input. Therefore, starting from the funding transactions, we scan all outputs and their usages to detect the closing and spending transactions to infer the type of the transaction output and store further details such as the block height and time the following transaction took place.

Private Channel Detection. While *public* channels announce themselves through gossip messages, *private* channels are never gossiped about publicly. Various heuristics for private Lightning channel detection exist [20,14,26]. These are primarily focused on identifying potential funding transactions. We use the following heuristic proposed by Kappos et al. [15] to identify these channels and calculate associated statistics:

1. We apply the “Property Heuristic” to identify Bitcoin transactions that are likely used as Lightning funding transactions. The heuristic includes checking




Fig. 2: Weekly number of public and private channel openings.




Fig. 3: Private and public channel opening sizes.

the number, size, and kind of transaction outputs, as well as their compliance with the Lightning specification.

2. To identify private channels, we employ the “Tracing Heuristic” that detects “peeling chains” – sequences of channel opening and closing transactions that are linked within the Bitcoin transaction graph. This heuristic tracks the flow of funds by following the closing and change outputs of channel funding transactions to determine if they are reused in subsequent channel funding transactions. Such reuse suggests that a single entity is involved in both channels. The heuristic can also be applied in reverse to trace the origins of the funding inputs. Channels identified through this method that do not appear in the Lightning Network’s gossip protocol data are classified as private, as they are not publicly announced.

Given that we lack information about whether these channels map to any nodes in the publicly accessible network, we limit ourselves to deriving statistics based solely on on-chain data.

Transaction Output Classification. To deduce the output type, we evaluate the locking script and cross-reference it with known output types within the Lightning specification [1]. These types encompass *local* outputs, which represent funds time-locked for the commitment owner, *remote* outputs, allocated to the other channel party for direct spending, HTLCs designed for non-confirmed transactions, and anchors enabling fee bumping. In the case of local outputs, we further investigate the path employed for script unlocking, enabling the assessment of potential revocations in instances of prior state cheating. Outputs that remain unspent are categorized as *unspent*, as their output type cannot be inferred without a spending transaction that provides the witness data.

4 Channel Lifecycle

4.1 Channel Opening

The life of a channel begins when its funding transaction is created. In Figure 2, we show the weekly number of public and private channel openings. In 2020, there were consistently around 5,000 channel openings per month. There is a

notable increase in 2021, reaching 15,000 monthly openings, ahead of a slight decline. The increase and subsequent decline in nodes could be related to the adoption of Bitcoin as a legal tender in El Salvador on 5 June 2021 [4]. Other reasons could also factor in, for example low transaction fees could incentivize the opening of new channels. However, especially the uptick of new channels in the beginning of 2021 coincides with rising transaction fees, which counters this argument. Beyond this timeframe, we could also not find a significant correlation. Throughout the period we investigate, private channels constituted approximately 22% of all channel openings. Figure 3 further visualizes the channel sizes for private and public channels. We consider the amount of Satoshis (1 Satoshi = 10^{-8} Bitcoin) locked in these public and private channels over the entire timeframe. These channels vary widely in size, ranging from four to eight digits of Satoshis, which, as of May 2024, one Satoshi is less than a thousandth USD. Interestingly, private channels tend to have lower average volumes. The reasons for this could be attributed to factors such as specific use cases, privacy considerations within the network, or user preferences when engaging in private channel transactions.

4.2 Channel Lifetime

In the following, we focus on the lifetime of the channels. We start by investigating the size of the Lightning Network in terms of the number of active nodes (cf. Figure 4a) and the number of active channels (cf. Figure 4b). We consider a node to be active if it is involved in at least one open public payment channel. Importantly, for nodes, we only identify public nodes as private nodes are not active in the gossip network. From the start of 2019 until the end of our data period, i.e., 1 July 2022, we observe that the number of active nodes is generally increasing. Notably, there is a significant increase in mid-2021 and a significant drop in the number of nodes in early 2022. Again, we speculate that this could be due to the usage of the Lightning Network in El Salvador. Further, the drop in the number of active nodes in 2022 coincides with an unusually high number of channels closing during that time period (cf. Section 4.3). We note that the number of active nodes peaked at around 12,500 at the beginning of 2022 and dropped to just over 7,500 by mid-2022. Similarly, the number of active channels, namely, the number of open channels, is increasing during our data period. However, less so than the number of nodes — indicating that the average node is involved in fewer public channels in mid-2022 (with four) than at the beginning of 2019 (with six). The number of public channels peaked at over 45,000 in early 2022. For the channels, we also include the number of private channels and observe that the number of private channels is always less than 20% of the number of public channels. Further, the proportion of private channels peaked in early 2021 and has decreased since then. We further notice a small discrepancy between the proportion of private channel openings (cf. Figure 2) and their proportion of the network. This discrepancy is a result of the short channel lifetime of private channels as we will see in Section 4.3.




Fig. 4: Number of public nodes (cf. Figure 4a), as well as public and private channels (cf. Figure 4b) over time.

Gossip Message Analysis. We continue by investigating the gossip messages broadcast on the network. Due to gaps in the `Ingossip` [9] dataset, we restrict the following analysis, which depends on these network messages, to a period without gaps, i.e., 1 January 2020 to 1 July 2021. Recall that there are several types of gossip messages, we focus on `channel_update` messages here. In more detail, we study the channel updates and analyze whether they give us any insights into traffic patterns in the network. We start with the frequency of channel updates. Every time either channel side adjusts the fees and parameters used for routing, they will broadcast a `channel_update` message in the network. Our analysis considers such a message to be an update if the parameters are not identical to the previous message. Figure 5 plots a histogram of the mean daily number of channel updates during their lifetime. On average, the channels have 0.69 daily updates, while the median is only 0.05. This discrepancy by a factor of ten between the mean and the median indicates an extremely skewed dataset. That is, there are few channels with many updates and many channels with little to no updates. However, updating channel parameters can be essential to optimize participation in routing. For one, the channel parameters need to be competitive to attract traffic, but just as importantly, the channel parameters are used to avoid the channel becoming depleted by guiding payment flow in the right direction. Note that once a channel active in routing becomes depleted, it is generally closed and reopened, which is costly. Thus, frequent channel updates can indicate that the channel is being actively used in routing transactions through the Lightning Network. We, however, find that only 8.9% of the public channels update their parameters at least once per day on average and would expect at least one update per day for channels that forward a couple of transactions per day on average. The 99th percentile of channels update their parameters at least 14.7 times a day. We thus believe that these channels actively participate in forwarding transactions through the network.

Channel Fees. When updating the fees for routing, nodes specify a *base* (i.e., a flat rate charged per transaction) and a *proportional* (i.e., a rate charged proportional to the transaction size) fee. We will now focus on the proportional fee, as one method of rebalancing a depleted channel is fee management. If one’s




Fig. 5: Daily number of channel updates. The median, mean, and 99th percentile are indicated by vertical lines.





Fig. 6: Correlation between proportional fee set by the two channel sides for channels with ≥ 100 updates by each side.

outbound liquidity is getting low, a strategy is to increase the fees to disincentive nodes from using your outbound liquidity. The opposite could be done at the other channel end. Thus, the proportional fee moving in opposite directions could hint at the net direction of transactions sent through the channel as well as the liquidity imbalance of the channel. To test this hypothesis, we consider all channels with at least 100 updates from either side and plot the correlation between the proportional fee time series from both sides in Figure 6. We find that both the mean and median of the proportional fee correlation across the analyzed channels are negative — in line with our hypothesis. However, there are also channels with a strong correlation between the proportional fees from either side over time. This could be a sign that both channel sides want traffic regardless of the direction and rely on other rebalancing strategies.

HTLC Analysis. Our preceding analysis provides insight into which channels might be involved in routing and the possible direction of flows in channels that we learn by analyzing the gossip messages. However, while the gossip messages allow us to reason about the traffic in the network, they do not offer precise information about the transactions routed through the network. The design of the Lightning Network aims to prevent this information from ever being revealed, but there is an exception during the channel closing. *Hashed timelock contracts (HTLCs)* are the centerpiece of every Lightning Network payment, as they allow for secure and atomic, that is, the entire transaction succeeds or fails, routing through the network. We note that HTLCs are used for both single-hop and multi-hop payments. Importantly, an HTLC represents an unconfirmed transaction, and its size thus corresponds to that of said transaction. In rare cases, these HTLCs are settled on-chain, where the HTLC is not consolidated before the channel is closed. Thus, in these cases, we can observe the size and number of transactions in the channel. In Figure 7, we present an analysis of exactly these HTLCs. In total, we observe 20,804 unconfirmed HTLCs in public channel closings and 364 in private channel closings. Figure 7a visualizes the number of unconfirmed HTLCs per channel during the closing. For the vast



(a) Number of unsettled HTLCs for public and private channels during the closing. (b) Size of unsettled HTLCs for public and private channels.

Fig. 7: Number of unsettled HTLCs (cf. Figure 7a) and Figure 7b).

majority of channels, 96% of public and 99% of private channels, there are no unconfirmed HTLCs when the channel is closed. For private channels, all remaining channels have precisely one open HTLC. While it is not immediately clear that these are all single-hop payments, it is highly likely to be the case given that none of the 364 private channels with unsettled HTLCs have more than one unsettled HTLC, which is more likely to happen when the channel is involved in routing transactions. Finally, these unsettled HTLCs offer a unique insight into the size of Lightning transactions. Figure 7b plots the size of these HTLCs for public and private channels. We start by noting that the HTLCs greatly vary in size and that those unsettled HTLCs we observe for private channels are larger than those in public ones on average. The average HTLC size in private channels is 360,000 Satoshis, whereas it is 230,000 Satoshis in public channels. This could be related to the fact that a larger proportion of unsettled HTLCs in private channels represent single-hop payments. That is, the parties went through the effort of setting up a channel as they were expecting to exchange funds, as opposed to multi-hop payments, where the parties use the existing network to exchange funds. We further notice that there are peaks for the transaction sizes. Many HTLCs are close to round numbers such as 1,000, 2,000, 3,000, or 10,000, indicating that individuals are generally more likely to send payments with these “round” sizes through the network. The amounts are usually a few Satoshis larger than these multiples, which could be due to fees added on top.

4.3 Channel Closing

We proceed with an analysis of the end of the channel lifetime: its closing. Figure 8 provides an overview of channel lifetime for public and private instances. Generally, their distribution follows a similar trend. However, extremely short-lived channels make up a more significant proportion of private channels, whereas long-lived channels account for a bigger proportion of public channels. Thus, the average lifetime of public channels is 143 days, which exceeds the average lifetime




Fig. 8: Channel lifetimes of public and private channels. We indicate the mean channel lifetime in the legend.




Fig. 9: Weekly public and private channel closings over time. Notice the spike in closings in mid-2022.

of private channels at only 125 days. Potentially, some private might have been opened for testing or rebalancing purposes and were thus not announced publicly.

Closing Frequency. In Figure 9, we plot the weekly number of channel closings for public and private channels over time. While initially, private channels take up a larger proportion of channel closings, the number and distribution of channel closings is relatively stable until mid-2021 with approximately 1,000 channel closings per week. From then on the number of channel closings starts to increase and stabilizes at more than 2,000 weekly channel closings. With one week in mid-2022 exhibiting an abnormally high number of (private) channel closings at more than 6,000. We previously noticed this spike in channel closings due to a drop in the number of nodes and channels in the network at this time (cf. Figure 4).

Closing Types. In the following, we investigate the closing type of channels. Recall that we distinguish between two different types: *cooperative* and *unilateral* (through a commitment transaction). Cooperative closings are bilaterally agreed upon by both channel endpoints through an on-chain transaction. In this case, all funds locked in the channel are directly accessible to both parties. In this case, the number of channel outputs is either one, i.e., all channel funds are with one party, or two otherwise. We will identify the first case as `coopx1` and the second case as `coopx2` throughout. For unilateral channel closings, one party publishes a commitment on the blockchain. The party then has to wait for the passing of a timelock before the funds can be accessed. The timeout allows the other party to publish a revocation if an outdated commitment was published. For closings that were not revoked, we differentiate between three cases by the number of types of outputs: `local`, `local + remote`, and `remote` (cf. Section 2.1). With `local`, we identify all unilateral closings, where all funds are with the party that submitted the commitment, and the output has a timelock. With `remote`, we denote channels that only have one remote output, which does not have a timelock and can be spent immediately by the party that did not submit a commitment. In the case of `local + remote`, both outputs exist. Finally, we group all revoked unilateral closings as `revoked` regardless of the number and type of outputs given their sparse occurrence. Figure 10 visualizes the share




Fig.10: Closing outputs for public and private channels. `local`, `local + remote`, `remote`, and `revoked` are types of unilateral channel closings, `coopx1`, and `coopx2` cooperative channel closings. `revoked` closings are extremely rare.

of these aforementioned channel closing types for public and private channels, respectively. For public channels (cf. Figure 10a), cooperative closings make up the biggest proportion. Together, they account for more than 50% of all closings, of which cooperative closings with two outputs, denoted as `coopx2`, are 60% and those with one output, `coopx1`, are 40%. Interestingly, a more significant proportion of channels is closed cooperatively with two outputs than with one at the end of our collection window as opposed to the beginning. Thus, by mid-2022, channels are closed before either side is entirely depleted. Unilateral closings make up slightly less than half of all closings for public channels. For these, the proportion of closing with a single timelocked output, i.e., `local`, is initially significant and declines over time, whereas those unilateral closings with two outputs, i.e., `local + remote`, increase over time. With slightly less than 10% of all closings, unilateral `remote` closings make up a surprisingly large proportion given that the channel party that will not receive any funds goes through the effort of unilaterally closing the channel. Overall, we notice that by the end of our data analysis period, more public channels are closed before they become entirely unbalanced than in early 2019. Finally, we note that revocations are extremely rare, with a mere 103 observed during our data collection window and thus not visible in Figure 10a.

Private Channel Closings. For private channels (cf. Figure 10b), we observe a different pattern. Cooperative closings also make up around 50% of closings, but the relative increase in those with two outputs cannot be observed. Unilateral closings also account for around 50% of closings over time. Here, unilateral closings are almost equally split between those with a single `remote` output and those with a single `local` output. Furthermore, the variations in the relative proportions of channel closings are minimal, especially in comparison to the public channels. Finally, as with public channels, revocations are extremely rare, with 78 occurrences during our time window. A further question is whether the channels are reopened, i.e., whether the channel closing is a means to rebalance the channel on-chain. We find that for 35% of the closed public channels, at least

one of its outputs was used to fund another public channel. In contrast, only 14% of closed private channels fund another private channel. The reopenings are even more pronounced when only considering cooperatively closed channels. 56% of closed public channel outputs refund a channel and 33% for private channels.

5 Related Work

Lightning Network Topology. A line of research studies the topology of the Lightning Network. From a theoretical point of view, multiple works study the strategic placement of nodes to route transactions and maximize fee collection efficiently [8,5,11]. Avarikioti et al. [6] further game-theoretically study the Nash equilibrium topology of the Lightning Network. From an empirical point of view, Seres et al. [25] and Lin et al. [17] present early measurement studies of the Lightning Network topology using Lightning Network gossip messages and comment on high centralization in the network. Subsequent work by Zabka et al. [29] takes an in-depth look at the network’s centrality to find that the Lightning Network’s centrality is increasing. As opposed to investigating the Lightning Network topology, we focus on investigating the lifecycle and usage of the Lightning Network payment channels. Zabka et al. [30] analyze Lightning Network gossip messages to analyze the Lightning Network in further detail. Their work reveals the client implementations used by nodes in the network, as well as their geographical location. Our work combines these gossip messages with on-chain data to investigate the various stages of a channel’s lifetime.

Lightning Network De-Anonymization. Multiple works have investigated to what extent Lightning Network de-anonymization is possible. Herrera et al. [14] employ probing transactions to unveil channel balances, while Tikhomirov et al. [26] de-anonymize network participants. Romiti et al. [24] conduct a cross-layer analysis, combining off- and on-chain data, to de-anonymize participants in Lightning channels. In a similar fashion, Kappos et al. [15] and Nowostawski et al. [20] leverage the on-chain data not only to de-anonymize participants but also to identify private channels. We leverage these heuristics to identify private channels and analyze the lifecycles of both public and private channels. Our analysis reveals channel usage patterns, which were previously unexplored.

Rebalancing. Imbalanced channels are a challenge in the Lightning Network, as they only allow payments to flow in one direction. While the most simple but costly solution to rebalancing a channel is to close and reopen the channel, other (off-chain) rebalancing solutions have been studied and proposed [21,16,7,22].

6 Conclusion

Previous Lightning Network measurement studies mainly focused on the network topology and network overview statistics, given the privacy protection for transfers in the network. We leverage data leaked through fee updates and on-chain channel closings to extend the understanding of the usage of the Lightning

Network by providing further insights into the lifecycle of channels. Our analysis is the first to reveal insights into the usage of private and public payment channels (e.g., routing, rebalancing, etc.) in combination with an analysis on whether channels are closed cooperatively or unilaterally and possibly reopened. Even more so, we present the first dataset of payments routed through the network and offer novel insights into the routing activity in the network.

References

1. Bolt #3: Bitcoin transaction and script formats. github.com/lightning/bolts/blob/master/03-transactions.md, accessed: 2024-05-22
2. Esplora http api. <https://github.com/Blockstream/esplora/blob/master/API.md>, accessed: 2024-03-20
3. Lightning networ search and analysis engine. <https://1ml.com/>, accessed: 2024-05-22
4. Alvarez, F.E., Argente, D., Van Patten, D.: Are cryptocurrencies currencies? bitcoin as legal tender in el salvador. Tech. rep., National Bureau of Economic Research (2022)
5. Avarikioti, G., Wang, Y., Wattenhofer, R.: Algorithmic channel design. In: 29th International Symposium on Algorithms and Computation (ISAAC 2018). vol. 123, pp. 16–1. Schloss Dagstuhl-Leibniz-Zentrum für Informatik (2018)
6. Avarikioti, Z., Heimbach, L., Wang, Y., Wattenhofer, R.: Ride the lightning: The game theory of payment channels. In: Financial Cryptography and Data Security. pp. 264–283. Springer International Publishing (2020)
7. Conoscenti, M., Vetro, A., De Martin, J.C.: Hubs, rebalancing and service providers in the lightning network. *IEEE Access* **7**, 132828–132840 (2019)
8. Davis, V., Harrison, B.: Learning a scalable algorithm for improving betweenness in the lightning network. In: 2022 Fourth International Conference on Blockchain Computing and Applications (BCCA). pp. 119–126. IEEE (2022)
9. Decker, C.: Lightning network research: Topology datasets. <https://doi.org/10.5281/zenodo.4088530>, <https://github.com/lnresearch/topology>, accessed: 2024-05-20
10. Decker, C., Wattenhofer, R.: A fast and scalable payment network with bitcoin duplex micropayment channels. In: Pelc, A., Schwarzmann, A.A. (eds.) Stabilization, Safety, and Security of Distributed Systems. pp. 3–18. Springer International Publishing, Cham (2015)
11. Ersoy, O., Roos, S., Erkin, Z.: How to profit from payments channels. In: International Conference on Financial Cryptography and Data Security. pp. 284–303. Springer (2020)
12. Green, M., Miers, I.: Bolt: Anonymous payment channels for decentralized currencies. In: Proceedings of the 2017 ACM SIGSAC Conference on Computer and Communications Security. pp. 473–489. ACM (2017)
13. Guo, Y., Tong, J., Feng, C.: A measurement study of bitcoin lightning network. In: 2019 IEEE international conference on blockchain (blockchain). pp. 202–211. IEEE (2019)
14. Herrera-Joancomartí, J., Navarro-Arribas, G., Ranchal-Pedrosa, A., Pérez-Solà, C., Garcia-Alfaro, J.: On the difficulty of hiding the balance of lightning network channels. In: Proceedings of the 2019 ACM Asia Conference on Computer and Communications Security. pp. 602–612 (2019)

15. Kappos, G., Yousaf, H., Piotrowska, A., Kanjalkar, S., Delgado-Segura, S., Miller, A., Meiklejohn, S.: An empirical analysis of privacy in the lightning network. In: *Financial Cryptography and Data Security*. pp. 167–186. Springer International Publishing (2021)
16. Khalil, R., Gervais, A.: Revive: Rebalancing off-blockchain payment networks. In: *Proceedings of the 2017 ACM SIGSAC Conference on Computer and Communications Security*. pp. 439–453 (2017)
17. Lin, J.H., Primicerio, K., Squartini, T., Decker, C., Tessone, C.J.: Lightning network: A second path towards centralisation of the bitcoin economy. *New Journal of Physics* **22**, 83022 (2020)
18. Miller, A., Bentov, I., Bakshi, S., Kumaresan, R., McCorry, P.: Sprites and state channels: Payment networks that go faster than lightning. In: *Financial Cryptography and Data Security - 23rd International Conference, FC*. pp. 508–526 (2019)
19. Nadarajah, S., Chu, J.: On the inefficiency of bitcoin. *Economics Letters* **150**, 6–9 (2017)
20. Nowostawski, M., Tøn, J.: Evaluating methods for the identification of off-chain transactions in the lightning network. *Applied Sciences* **9** (2019)
21. Papadis, N., Tassiulas, L.: Blockchain-based payment channel networks: Challenges and recent advances. *IEEE Access* **8**, 227596–227609 (2020)
22. Pickhardt, R., Nowostawski, M.: Imbalance measure and proactive channel rebalancing algorithm for the lightning network. In: *2020 IEEE International Conference on Blockchain and Cryptocurrency (ICBC)*. pp. 1–5. IEEE (2020)
23. Poon, J., Dryja, T.: The bitcoin lightning network: Scalable off-chain instant payments (2015)
24. Romiti, M., Victor, F., Moreno-Sanchez, P., Nordholt, P.S., Haslhofer, B., Maffei, M.: Cross-layer deanonymization methods in the lightning protocol. In: *Financial Cryptography and Data Security*. pp. 187–204. Springer International Publishing (2021)
25. Seres, I.A., Gulyás, L., Nagy, D.A., Burcsi, P.: Topological analysis of bitcoin’s lightning network. In: *Mathematical Research for Blockchain Economy*. pp. 1–12. Springer International Publishing (2020)
26. Tikhomirov, S., Moreno-Sanchez, P., Maffei, M.: A quantitative analysis of security, anonymity and scalability for the lightning network. In: *2020 IEEE European Symposium on Security and Privacy Workshops (EuroS&PW)*. pp. 387–396. IEEE (2020)
27. Vranken, H.: Sustainability of bitcoin and blockchains. *Current opinion in environmental sustainability* **28**, 1–9 (2017)
28. Zabka, P., Foerster, K.T., Schmid, S., Decker, C.: Empirical evaluation of nodes and channels of the lightning network. *Pervasive and Mobile Computing* **83**, 101584 (2022)
29. Zabka, P., Förster, K.T., Decker, C., Schmid, S.: Short paper: A centrality analysis of the lightning network. In: *Financial Cryptography and Data Security*. pp. 374–385. Springer International Publishing (2022)
30. Zabka, P., Förster, K.T., Schmid, S., Decker, C.: Node classification and geographical analysis of the lightning cryptocurrency network. In: *International Conference on Distributed Computing and Networking*. pp. 126–135. Association for Computing Machinery (2021)